## **\* Immuno**Reagents,Inc.

6003 Chapel Hill Road Suite 153 Raleigh, NC 27607

## **Product Specifications**

| Product:<br>Description:<br>Part Number:<br>Concentration:<br>Amount:<br>Conjugate:<br>Form:<br>Purification:<br>Purity:<br>Host:<br>Immunogen: | Goat anti-Human IgG Fc, Affinity Pure<br>Goat anti-Human IgG Fc - Affinity Pure, DyLight®633 Conjugate<br>GtxHu-004-D633NHSX<br>1.0 mg/ml (E 1% at 280 nm = 13.0)<br>1.0 mg<br>DyLight® 633 (Ex = 638 nm; Em = 658 nm)<br>Lyophilized<br>Affinity purified using solid phase Human IgG<br>Affinity purified antibody is > 95% based on SDS-PAGE<br>Goat |
|---|---|
| Buffer:   | Purified Human IgG, Fc fragment<br>10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v)<br>BSA, Protease/IgG free  |
| Preservative:<br>Reconstitution:  | 0.05% (w/v) Sodium Azide<br>Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room<br>temperature to dissolve. (Product has been overfilled to ensure complete<br>recovery.) Centrifuge to remove any particulates. Prepare fresh working<br>dilution daily.   |
| Storage:<br>Shelf Life:   | Store freeze-dried powder at 2-8 °C.<br>Product is stable for up to 4 weeks at 2-8 °C after rehydration. For<br>extended storage after rehydration, add an equal volume of glycerol and<br>store at -20 °C.   |
| Specificity:  | <ul> <li>Based on IEP, this antibody reacts with:</li> <li>heavy (γ) chains on human IgG</li> </ul>   |
| Cross Reactivity:   | Based on IEP, no reactivity is observed to:   |
|   | <ul> <li>non-immunoglobulin human serum immunoglobulins</li> <li>light chains on all human immunoglobulins</li> </ul>   |
| Country of Origin:<br>Applications:   | Goat serum was obtained from healthy animals of US origin and under the<br>care of a registered veterinarian.<br>Flow Cytometry<br>Immunofluorescence<br>ELISA<br>Immunomicroscopy  |

Phone: 919-831-2240

Fax: 919-831-2240

| Disclaimer: | For in vitro Laboratory Use Only. Not for diagnostic or therapeutic use. Not |
|-------------|--|
|             | for human or animal consumption. Suggested applications of our products      |
|             | are not recommendations to use our products in violation of any patent or    |
|             | as a license under any patent of ImmunoReagents, Inc. Product may not        |
|             | be resold or modified for resale without prior written approval of           |
|             | ImmunoReagents, Inc.   |
| Trademark:  | DyLight® is a trademark of Thermo Fisher Scientific, Inc. and its            |
|             | subsidiaries.  |