## **\* Immuno**Reagents,Inc.

6003 Chapel Hill Road Suite 153 Raleigh, NC 27607

## **Product Specifications**

Product: Description: Part Number: Concentration: Amount: Conjugate:	Goat anti-Llama IgG (H&L) - Affinity Pure Goat anti-Llama IgG (H&L) - Affinity Pure, TRITC Conjugate GtxLI-003-DRHOX 1.0 mg/ml (E 1% at 280 nm = 13.0) 1.0 mg Tetramethylrhodamine-5-isothiocyanate (TRITC) Amax = 550 nm; Emax = 570 nm
Form:	Lyophilized
Purification:	Affinity purified using solid phase Llama IgG
Purity:	Affinity purified antibody is $> 95\%$ based on SDS-PAGE
Host:	Goat
Immunogen:	Purified Llama IgG, whole molecule
Buffer:	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free
Preservative:	0.05% (w/v) Sodium Azide
Reconstitution:	Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.
Storage:	2-8 °C
Shelf Life:	1 year from date of receipt. Prepare working dilution prior to use and then discard.
Specificity:	Based on IEP, this antibody reacts with:
	<ul> <li>heavy (γ) chains on Ilama IgG</li> </ul>
	<ul> <li>light chains on all llama immunoglobulins</li> </ul>
Cross Reactivity:	Based on IEP, no reactivity is observed to:
	<ul> <li>non-immunoglobulin llama serum immunoglobulins</li> </ul>
Country of Origin:	Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.
Applications:	Flow Cytometry
	Immunofluorescence
	ELISA
	Immunomicroscopy

Fax: 919-831-2240

Disclaimer:

For *in vitro* Laboratory Use Only. Not for diagnostic or therapeutic use. Not for human or animal consumption. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc. **Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.**