## **\* Immuno**Reagents,Inc.

6003 Chapel Hill Road Suite 153 Raleigh, NC 27607

## **Product Specifications**

| Product:<br>Description: | Goat anti-Rabbit IgG (H&L) - Affinity Pure<br>Goat anti-Rabbit IgG (H&L) - Affinity Pure, DyLight®633 Conjugate, min x<br>w/bovine, goat, human, mouse, rat IgG or serum proteins |
|--------------------------|---|
| Part Number:             | GtxRb-003-F633NHSX  |
| Concentration:           | 1.0 mg/ml (E 1% at 280 nm = 13.0)   |
| Amount:                  | 1.0 mg  |
| Conjugate:               | DyLight® 633 (Ex = 638 nm; Em = 658 nm)   |
| Form:                    | Lyophilized   |
| Purification:            | Affinity purified using solid phase Rabbit IgG  |
| Purity:                  | Affinity purified antibody is > 95% based on SDS-PAGE   |
| Host:<br>Immunogen:      | Goat<br>Purified Rabbit IgG, whole molecule   |
| Buffer:                  | 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v)   |
| Banon                    | BSA, Protease/IgG free  |
| Preservative:            | 0.05% (w/v) Sodium Azide  |
| Reconstitution:          | Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room   |
|                          | temperature to dissolve. (Product has been overfilled to ensure complete  |
|                          | recovery.) Centrifuge to remove any particulates. Prepare fresh working   |
|                          | dilution daily.   |
| Storage:                 | Store freeze-dried powder at 2-8 °C.  |
| Shelf Life:              | Product is stable for up to 4 weeks at 2-8°C after rehydration. For   |
|                          | extended storage after rehydration, add an equal volume of glycerol and store at -20°C.   |
| Specificity:             | Based on IEP, this antibody reacts with:  |
|                          |   |
|                          | <ul> <li>heavy (γ) chains on rabbit IgG</li> </ul>  |
|                          | <ul> <li>light chains on all rabbit immunoglobulins</li> </ul>  |
| Cross Reactivity:        | Based on IEP, no reactivity is observed to:   |
|                          | <ul> <li>non-immunoglobulin rabbit serum proteins</li> </ul>  |
|                          | <ul> <li>serum proteins from bovine, goat, human, mouse, or rat</li> </ul>  |
|                          | <ul> <li>IgG from bovine, goat, human, mouse or rat</li> </ul>  |
| Country of Origin:       | Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.  |
| Applications:            |   |
| Dhamay 010 001 0010      | Flow Cytometry  |
| Phone: 919-831-2240      | Fax: 919-831-2240 email: info@immunoreagents.com  |

|             | Immunofluorescence   |
|-------------|--|
|             | ELISA  |
|             | Immunomicroscopy   |
| Disclaimer: | For in vitro Laboratory Use Only. Not for diagnostic or therapeutic use. Not   |
|             | for human or animal consumption. Suggested applications of our products        |
|             | are not recommendations to use our products in violation of any patent or      |
|             | as a license under any patent of ImmunoReagents, Inc. Product may not          |
|             | be resold or modified for resale without prior written approval of             |
|             | ImmunoReagents, Inc.   |
| Trademark:  | $DyLight^{	extsf{B}}$ is a trademark of Thermo Fisher Scientific, Inc. and its |
|             | subsidiaries.  |