*** Immuno**Reagents,Inc.

6003 Chapel Hill Road Suite 153 Raleigh, NC 27607

Product Specifications

Immunogen:Purified Chicken IgG/Y, whole moleculeBuffer:10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG freePreservative:0.1% (v/v) Kathon CGReconstitution:Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.Storage:Store freeze-dried powder at 2-8 °C.Shelf Life:Store Iroeze-dried powder at 2-8 °C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20 °C as a liquid.Specificity:Based on IEP, this antibody reacts with: • heavy (γ) chains on chicken IgG/Y • light chains on all chicken immunoglobulinsCross Reactivity:Based on IEP, no reactivity is observed to: • non-immunoglobulin chicken serum immunoglobulinsCountry of Origin:Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Western Blot ELISA Immunohistochemistry (IHC)Disclaimer:For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not for human or animal consumption. Suggested applications of our products	Product: Description: Part Number: Concentration: Amount: Conjugate: Form: Purification: Purity: Host:	Rabbit anti-Chicken IgY (H&L) - Affinity Pure Rabbit anti-Chicken IgY (H&L) - Affinity Pure, HRP Conjugate RbxCk-003-DHRPX 1.0 mg/ml 1.0 mg Horseradish Peroxidase Lyophilized Affinity purified using solid phase Chicken IgG/Y Affinity purified antibody is > 95% based on SDS-PAGE Rabbit
Reconstitution:Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.Storage:Store freeze-dried powder at 2-8 °C.Shelf Life:Store lyophilized material at 2-8 °C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20 °C as a liquid.Specificity:Based on IEP, this antibody reacts with: • heavy (γ) chains on chicken IgG/Y • light chains on all chicken immunoglobulinsCross Reactivity:Based on IEP, no reactivity is observed to: • non-immunoglobulin chicken serum immunoglobulinsCountry of Origin:Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Western Blot ELISA Immunohistochemistry (IHC)Disclaimer:For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not	0	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v)
Applications:A addition of a registered veterinarian.Applications:Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not	Preservative:	0.1% (v/v) Kathon CG
Shelf Life:Store lyophilized material at 2-8 °C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20 °C as a liquid. Based on IEP, this antibody reacts with: 	Reconstitution:	temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working
Specificity:reconstitution, dilute with 50% glycerol and store at -20 °C as a liquid. Based on IEP, this antibody reacts with: 	Storage:	Store freeze-dried powder at 2-8 °C.
 heavy (γ) chains on chicken IgG/Y light chains on all chicken immunoglobulins Cross Reactivity: Based on IEP, no reactivity is observed to: non-immunoglobulin chicken serum immunoglobulins Country of Origin: Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. Applications: Western Blot ELISA Immunohistochemistry (IHC) Disclaimer: For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not	Shelf Life:	
 light chains on all chicken immunoglobulins Cross Reactivity: Based on IEP, no reactivity is observed to: non-immunoglobulin chicken serum immunoglobulins Country of Origin: Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. Applications: Western Blot ELISA Immunohistochemistry (IHC) Disclaimer: For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not 	Specificity:	Based on IEP, this antibody reacts with:
Cross Reactivity:Based on IEP, no reactivity is observed to: • non-immunoglobulin chicken serum immunoglobulinsCountry of Origin:Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Western Blot ELISA Immunohistochemistry (IHC)Disclaimer:For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not		 heavy (γ) chains on chicken IgG/Y
 non-immunoglobulin chicken serum immunoglobulins Country of Origin: Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. Applications: Western Blot ELISA Immunohistochemistry (IHC) Disclaimer: For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not 		 light chains on all chicken immunoglobulins
Country of Origin:Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Western Blot ELISA Immunohistochemistry (IHC)Disclaimer:For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not	Cross Reactivity:	Based on IEP, no reactivity is observed to:
Applications: the care of a registered veterinarian. Applications: Western Blot ELISA Immunohistochemistry (IHC) Disclaimer: For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not		 non-immunoglobulin chicken serum immunoglobulins
ELISA Immunohistochemistry (IHC) Disclaimer: For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not	Country of Origin:	
Disclaimer: For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not	Applications:	
, , , , , , , , , , , , , , , , , , , ,		Immunohistochemistry (IHC)
	Disclaimer:	

Phone: 919-831-2240

are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc. **Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.**