## **\* Immuno**Reagents,Inc.

6003 Chapel Hill Road Suite 153 Raleigh, NC 27607

## **Product Specifications**

Product: Description:	Rabbit anti-Goat IgG (H&L) - Affinity Pure Rabbit anti-Goat IgG (H&L) - Affinity Pure, ALP Conjugate, min x w/human, mouse, or rat IgG
Part Number:	RbxGt-003-EALP
Concentration:	1.50 mg/ml (E 1% at 280 nm = 13.0)
Amount:	0.5 mg
Conjugate:	Alkaline Phosphatase
Form:	Clear, colorless liquid
Purification:	Affinity purified using solid phase Goat IgG
Purity:	Affinity purified antibody is $> 95\%$ based on SDS-PAGE
Host:	Rabbit
Immunogen:	Purified goat IgG, whole molecule
Buffer:	30 mM Triethanolamine, pH 7.2, 5 mM Magnesium Chloride, 0.1 mM Zinc Chloride, 1 % (w/v) BSA, Protease/lgG free
Preservative:	0.05% (w/v) Sodium Azide
Storage:	Store undiluted liquid at 2-8 °C. For storage at -20 °C, dilute with an
	equal volume of glycerol to prevent loss of enzymatic activity. Prepare
	working dilutions prior to use and then discard.
Shelf Life:	1 year from date of receipt. Prepare working dilution prior to use and then discard.
Specificity:	Based on IEP, this antibody reacts with:
	<ul> <li>heavy (γ) chains on goat IgG</li> </ul>
	<ul> <li>light chains on all goat immunoglobulins</li> </ul>
Cross Reactivity:	Based on IEP, no reactivity is observed to:
	<ul> <li>non-immunoglobulin goat serum immunoglobulins</li> </ul>
	<ul> <li>IgG from human, mouse or rat</li> </ul>
Country of Origin:	Rabbit serum was obtained from healthy animals of US origin and under
Applications:	the care of a registered veterinarian. Western Blot
Applications.	ELISA
	Immunohistochemistry (IHC)
Disclaimer:	For <i>in vitro</i> Laboratory Use Only. Not for diagnostic or therapeutic use. Not
	for human or animal consumption. Suggested applications of our products

Phone: 919-831-2240

are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc. **Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.**