

## Product Specifications

Product:	Rabbit anti-Rat IgG (H&L) - Affinity Pure
Description:	Rabbit anti-Rat IgG (H&L) - Affinity Pure, HRP Conjugate, min x w/human serum proteins
Part Number:	RbxRt-003-EHRPX
Concentration:	1.0 mg/ml (E 1% at 280 nm = 13.0)
Amount:	1.0 mg
Conjugate:	Horseradish Peroxidase
Form:	Lyophilized
Purification:	Affinity purified using solid phase Rat IgG
Purity:	Affinity purified antibody is > 95% based on SDS-PAGE
Host:	Rabbit
Immunogen:	Purified Rat IgG, whole molecule
Buffer:	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free
Preservative:	0.1% (v/v) Kathon CG
Reconstitution:	Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.
Storage:	Store freeze-dried powder at 2-8 °C.
Shelf Life:	Store lyophilized material at 2-8 °C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20 °C as a liquid.
Specificity:	Based on IEP, this antibody reacts with: <ul style="list-style-type: none"><li>• heavy (<math>\gamma</math>) chains on rat IgG</li><li>• light chains on all rat immunoglobulins</li></ul>
Cross Reactivity:	Based on IEP, no reactivity is observed to: <ul style="list-style-type: none"><li>• non-immunoglobulin rat serum proteins</li><li>• human serum proteins</li></ul>
Country of Origin:	Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.
Applications:	Western Blot ELISA Immunohistochemistry (IHC)

Disclaimer:

For *in vitro* Laboratory Use Only. Not for diagnostic or therapeutic use. Not for human or animal consumption. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc. **Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.**