
Certificate of Analysis

Product: Purified Human IgG, F(ab)'2 Fragment

Part Number: Hu-005-C
Lot Number: 71-21-092319
Concentration: 10.0 mg/ml (E^{1%} at 280 nm = 13.0)
Amount: 1.0 mg
Form: Clear, colorless liquid, 0.2 µm filtered
Purification: Protein A Chromatography
F(ab)'2 fragment prepared by pepsin digestion
Purity: ≥ 90% based on SDS-PAGE. Small amounts of intact IgG may be present
Host: Human
Immunogen: None
Buffer: 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative: 0.05 % (w/v) Sodium Azide
Storage: 2-8 °C
Expiration Date: September 23, 2022

Country of Origin: Donor serum was obtained from normal individuals in the U.S.

Disease Testing: Donor serum was tested by FDA approved methods and found negative for antibodies to HIV 1/2 and HCV. Donor serum was tested by FDA approved methods and found negative for HBsAg, HIV-1.

Applications: This antibody is suitable for use in most immunoassay formats as a normal control or standard. The optimal working dilution should be determined by the investigator.

Disclaimer: *For in vitro Laboratory Use Only.* Not for diagnostic or therapeutic use. Not for human or animal consumption. The proper selection and use of our products is the sole responsibility of the end user, and therefore we can offer no guarantee to a specific experimental outcome. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc.


Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.

Testing Results

PRODUCT: Purified Human IgG, F(ab)'2 Fragment
PART NUMBER: Hu-005-C
LOT NUMBER: 71-21-092319

<u>TESTS</u>	<u>SPECIFICATIONS</u>	<u>RESULTS</u>
Appearance:	Clear, colorless liquid	PASS
Purity:	One predominant band at 24 kDa based on SDS-PAGE	PASS

SDS-PAGE



- 1) Hu-005-C, Lot#: 71-21-092319
- 2) Mol Weight Standard

Date: September 26, 2019

Signature: _____


Quality Control