## **\* Immuno**Reagents,Inc.

6003 Chapel Hill Road Suite 153 Raleigh, NC 27607

## **Product Specifications**

Part Number:       GtxMu-003-E2RHOX         Concentration:       1.0 mg/ml (E 1% at 280 nm = 13.0)         Amount:       1.0 mg         Conjugate:       Tetramethylrhodamine-5-isothiocyanate (TRITC) Amax = 550 nm; Emax = 570 nm         Form:       Lyophilized         Purification:       Affinity purified using solid phase Mouse IgG         Purity:       Affinity purified antibody is > 95% based on SDS-PAGE         Host:       Goat         Immunogen:       Purified Mouse IgG, whole molecule         Buffer:       10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v)         BSA, Protease/lgG free       Preservative:         Preservative:       0.05% (w/v) Sodium Azide         Reconstitution:       Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.         Storage:       2-8 °C         Shelf Life:       1 year from date of receipt. Prepare working dilution prior to use and then discard.         Specificity:       Based on IEP, no reactivity is observed to:         • heavy (\gamma) chains on mouse IgG       • light chains on all mouse serum immunoglobulins         Cross Reactivity:       Based on IEP, no reactivity is observed to:         • non-immunoglobulin mouse serum immunogl	Product: Description:	Goat anti-Mouse IgG (H&L) - Affinity Pure Goat anti-Mouse IgG (H&L) - Affinity Pure, min x w/bovine, horse, human, pig or rabbit serum protein
Concentration:       1.0 mg/ml (E 1% at 280 nm = 13.0)         Amount:       1.0 mg         Conjugate:       Tetramethylrhodamine-5-isothiocyanate (TRITC) Amax = 550 nm; Emax = 570 nm         Form:       Lyophilized         Purification:       Affinity purified using solid phase Mouse IgG         Purity:       Affinity purified antibody is > 95% based on SDS-PAGE         Host:       Goat         Immunogen:       Purified Mouse IgG, whole molecule         Buffer:       10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v)         BSA, Protease/IgG free       Preservative:         Preservative:       0.05% (w/v) Sodium Azide         Reconstitution:       Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.         Storage:       2-8 °C         Shelf Life:       1 year from date of receipt. Prepare working dilution prior to use and then discard.         Specificity:       Based on IEP, this antibody reacts with:         • heavy (r) chains on mouse IgG       • light chains on all mouse immunoglobulins         Cross Reactivity:       Based on IEP, no reactivity is observed to:         • non-immunoglobulin mouse serum immunoglobulins       • serum proteins from bovine, horse, human rabbit or swine	Part Number:	
Amount:1.0 mgConjugate:Tetramethylrhodamine-5-isothiocyanate (TRITC) Amax = 550 nm; Emax = 570 nmForm:LyophilizedPurification:Affinity purified using solid phase Mouse IgGPurity:Affinity purified antibody is > 95% based on SDS-PAGEHost:GoatImmunogen:Purified Mouse IgG, whole moleculeBuffer:10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG freePreservative:0.05% (w/v) Sodium AzideReconstitution:Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.Storage:2-8 °CShelf Life:1 year from date of receipt. Prepare working dilution prior to use and then discard.Specificity:Based on IEP, this antibody reacts with: • heavy ( $\gamma$ ) chains on mouse IgG • light chains on all mouse immunoglobulinsCross Reactivity:Based on IEP, no reactivity is observed to: • non-immunoglobulin mouse serum immunoglobulins 		
Conjugate:Tetramethylrhodamine-5-isothiocyanate (TRITC) Amax = 550 nm; Emax = 570 nmForm:LyophilizedPurification:Affinity purified using solid phase Mouse IgGPurity:Affinity purified antibody is > 95% based on SDS-PAGEHost:GoatImmunogen:Purified Mouse IgG, whole moleculeBuffer:10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG freePreservative:0.05% (w/v) Sodium AzideReconstitution:Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.Storage:2-8 °CShelf Life:1 year from date of receipt. Prepare working dilution prior to use and then discard.Specificity:Based on IEP, this antibody reacts with: 		
Purification:       Affinity purified using solid phase Mouse IgG         Purity:       Affinity purified antibody is > 95% based on SDS-PAGE         Host:       Goat         Immunogen:       Purified Mouse IgG, whole molecule         Buffer:       10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free         Preservative:       0.05% (w/v) Sodium Azide         Reconstitution:       Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.         Storage:       2-8 °C         Shelf Life:       1 year from date of receipt. Prepare working dilution prior to use and then discard.         Specificity:       Based on IEP, this antibody reacts with: <ul> <li>heavy (<math>\gamma</math>) chains on mouse IgG</li> <li>light chains on all mouse immunoglobulins</li> <li>serum proteins from bovine, horse, human rabbit or swine</li> </ul> Country of Origin:       Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.         Applications:       Flow Cytometry Immunofluorescence		Tetramethylrhodamine-5-isothiocyanate (TRITC) Amax = 550 nm; Emax =
Purity:Affinity purified antibody is > 95% based on SDS-PAGEHost:GoatImmunogen:Purified Mouse IgG, whole moleculeBuffer:10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG freePreservative:0.05% (w/v) Sodium AzideReconstitution:Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.Storage:2-8 °CShelf Life:1 year from date of receipt. Prepare working dilution prior to use and then discard.Specificity:Based on IEP, this antibody reacts with: • heavy (γ) chains on mouse IgG • light chains on all mouse immunoglobulins • serum proteins from bovine, horse, human rabbit or swineCountry of Origin:Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. Applications:Applications:Flow Cytometry Immunofluorescence	Form:	Lyophilized
Host:GoatImmunogen:Purified Mouse IgG, whole moleculeBuffer:10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v)BSA, Protease/IgG freePreservative:0.05% (w/v) Sodium AzideReconstitution:Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.Storage:2-8 ° CShelf Life:1 year from date of receipt. Prepare working dilution prior to use and then discard.Specificity:Based on IEP, this antibody reacts with: • heavy (γ) chains on mouse IgG • light chains on all mouse immunoglobulins • serum proteins from bovine, horse, human rabbit or swineCountry of Origin:Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Flow Cytometry Immunofluorescence	Purification:	Affinity purified using solid phase Mouse IgG
Buffer:10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG freePreservative:0.05% (w/v) Sodium AzideReconstitution:Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.Storage:2-8 °CShelf Life:1 year from date of receipt. Prepare working dilution prior to use and then discard.Specificity:Based on IEP, this antibody reacts with: • heavy (γ) chains on mouse IgG • light chains on all mouse immunoglobulinsCross Reactivity:Based on IEP, no reactivity is observed to: • non-immunoglobulin mouse serum immunoglobulins • serum proteins from bovine, horse, human rabbit or swineCountry of Origin:Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Flow Cytometry Immunofluorescence	•	Affinity purified antibody is > 95% based on SDS-PAGE
BSA, Protease/IgG freePreservative:0.05% (w/v) Sodium AzideReconstitution:Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.Storage:2-8 °CShelf Life:1 year from date of receipt. Prepare working dilution prior to use and then discard.Specificity:Based on IEP, this antibody reacts with: • heavy (γ) chains on mouse IgG • light chains on all mouse immunoglobulinsCross Reactivity:Based on IEP, no reactivity is observed to: • non-immunoglobulin mouse serum immunoglobulins • serum proteins from bovine, horse, human rabbit or swineCountry of Origin:Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Flow Cytometry Immunofluorescence	Immunogen:	Purified Mouse IgG, whole molecule
Reconstitution:Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.Storage:2-8 ° CShelf Life:1 year from date of receipt. Prepare working dilution prior to use and then discard.Specificity:Based on IEP, this antibody reacts with: • heavy (γ) chains on mouse IgG • light chains on all mouse immunoglobulinsCross Reactivity:Based on IEP, no reactivity is observed to: • non-immunoglobulin mouse serum immunoglobulins • serum proteins from bovine, horse, human rabbit or swineCountry of Origin:Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Flow Cytometry Immunofluorescence	Buffer:	
Applications:Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Flow Cytometry Immunofluorescence	Preservative:	0.05% (w/v) Sodium Azide
Storage:2-8 °CShelf Life:1 year from date of receipt. Prepare working dilution prior to use and then discard.Specificity:Based on IEP, this antibody reacts with: • heavy (γ) chains on mouse IgG • light chains on all mouse immunoglobulinsCross Reactivity:Based on IEP, no reactivity is observed to: • non-immunoglobulin mouse serum immunoglobulins • serum proteins from bovine, horse, human rabbit or swineCountry of Origin:Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.Applications:Flow Cytometry Immunofluorescence	Reconstitution:	temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working
Shelf Life:1 year from date of receipt. Prepare working dilution prior to use and then discard.Specificity:Based on IEP, this antibody reacts with: 	Storage:	
<ul> <li>heavy (Y) chains on mouse IgG         <ul> <li>light chains on all mouse immunoglobulins</li> </ul> </li> <li>Cross Reactivity: Based on IEP, no reactivity is observed to:         <ul> <li>non-immunoglobulin mouse serum immunoglobulins</li> <li>serum proteins from bovine, horse, human rabbit or swine</li> </ul> </li> <li>Country of Origin: Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.</li> <li>Applications: Flow Cytometry Immunofluorescence</li> </ul>		
<ul> <li>light chains on all mouse immunoglobulins</li> <li>Cross Reactivity: Based on IEP, no reactivity is observed to:         <ul> <li>non-immunoglobulin mouse serum immunoglobulins</li> <li>serum proteins from bovine, horse, human rabbit or swine</li> </ul> </li> <li>Country of Origin: Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.</li> <li>Applications: Flow Cytometry Immunofluorescence</li> </ul>	Specificity:	Based on IEP, this antibody reacts with:
<ul> <li>non-immunoglobulin mouse serum immunoglobulins</li> <li>serum proteins from bovine, horse, human rabbit or swine</li> <li>Country of Origin: Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.</li> <li>Applications: Flow Cytometry Immunofluorescence</li> </ul>		
<ul> <li>serum proteins from bovine, horse, human rabbit or swine</li> <li>Country of Origin: Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.</li> <li>Applications: Flow Cytometry Immunofluorescence</li> </ul>	Cross Reactivity:	Based on IEP, no reactivity is observed to:
care of a registered veterinarian. Applications: Flow Cytometry Immunofluorescence		
Immunofluorescence	Country of Origin:	
Phone: 919-831-2240 Fax: 919-831-2240 email: info@immunoreagents.com	Applications:	
	Phone: 919-831-2240	Fax: 919-831-2240 email: info@immunoreagents.com

## ELISA

Immunomicroscopy

Disclaimer:

For *in vitro* Laboratory Use Only. Not for diagnostic or therapeutic use. Not for human or animal consumption. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc. **Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.**