6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

## **Certificate of Analysis**

Product: Goat anti-Human IgG (H&L), F(ab)'2 Fragment, FITC Conjugate

Part Number: GtxHu-003-JFITC Lot Number: 67-106-101119

Amount:  $0.5 \text{ mg of antibody at } 1.50 \text{ mg/ml (E}^{1\%} \text{ at } 280 \text{ nm} = 13.0)$ 

Form: Clear, fluorescent yellow liquid

Fluorophore: Fluorescein-5-isothiocyanate (FITC) Ex = 494 nm; Em = 518 nm

Fluor/Protein Ratio: 7.8 Moles FITC per Mole Antibody Form: Clear, fluorescent yellow liquid

Purification: Antibody was affinity purified using solid phase Human IgG

Purity: Affinity purified antibody is  $\geq 90$  % based on SDS-PAGE. Small amounts

of intact IgG may be present.

Host: Goat

**Applications:** 

Immunogen: Purified Human IgG, whole molecule

Buffer: 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2,

1 % (w/v) BSA, Protease/IgG free

Preservative: 0.05 % (w/v) Sodium Azide

Storage: Store undiluted liquid at 2-8 °C. Prepare working dilution prior to use and

then discard.

Shelf Life: 1 year from date of receipt

Specificity: Based on IEP, this antibody reacts with:

heavy (γ) chains on Human IgG

• light chains on Human immunoglobulins

Cross Reactivity: Based on IEP, no reactivity is observed to:

• non-immunoglobulin Human serum proteins

• serum proteins from Bovine, Mouse, or Rabbit

Country of Origin: Goat antiserum was obtained from healthy animals of US origin and under the

care of a registered veterinarian.

Note: This conjugate was prepared using Part # GtxHu-003-J, Lot # 67-102-092719.

This conjugate is suitable for immunomicroscopy and flow cytometry. The

optimal working dilution should be determined by the investigator. Suggested

starting dilution(s):

• 1:20 – 1:2,000 for Immunohistochemistry

• 1:50 – 1:5,000 for Immunocytochemistry

Disclaimer: For in vitro Laboratory Use Only. Not for diagnostic or therapeutic use. Not

for human or animal consumption. The proper selection and use of our products is the sole responsibility of the end user, and therefore we can offer no guarantee to a specific experimental outcome. Suggested applications of our products are not recommendations to use our products in violation of any

patent or as a license under any patent of ImmunoReagents, Inc.

Product may not be resold or modified for resale without prior written

approval of ImmunoReagents, Inc.

Phone: 919-831-2240 · <u>www.ImmunoReagents.com</u> · Fax: 919-831-2240

6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

## **Testing Results**

**PRODUCT:** Goat anti-Human IgG (H&L), F(ab)'2 Fragment, FITC Conjugate

**PART NUMBER:** GtxHu-003-JFITC **LOT NUMBER:** 67-106-101119

<u>TESTS</u> <u>SPECIFICATIONS</u> <u>RESULTS</u>

Appearance Clear, fluorescent yellow liquid PASS

Purity One predominant band at 24 kDa based on SDS-PAGE PASS

Specificity Based on IEP, this antibody has a precipitin band against:

heavy (γ) chains on Human IgG
 light chains on Human immunoglobulins
 PASS

Cross Reactivity Based on IEP, no reactivity is observed to:

non-immunoglobulin Human serum proteins
 serum proteins from Bovine, Mouse, or Rabbit

PASS
PASS

FLISA: Mean fluorescent value of 8 µg/ml of FITC conjugate when

tested against normal Human IgG coated at 4 µg/ml 2066 MFI's

F.I.T.: Mean fluorescent intensity of a 1:1000 dilution at 8506 MFI's

Ex-494 nm (+/-9)/Em-518 nm (+/-9)

## **SDS-PAGE**


1 2

55kDa

31kDa

21kDa

Immunoelectrophoresis (IEP)



- 1) GtxHu-003-J, Lot # 67-102-092719
- 2) Mol Weight Standard

Date: October 17, 2019 Signature

Phone: 919-831-2240 · www.ImmunoReagents.com · Fax: 919-831-2240