

6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

Certificate of Analysis

Product:	Donkey anti-Rat IgG (H&L), TRITC Conjugate
Part Number:	DkxRt-003-FRHOX
Lot Number:	69-107-120619
Amount:	1.0 mg of antibody at 1.00 mg/ml (E $^{1\%}$ at 280 nm = 13.0)
Form:	Lyophilized
Fluorophore:	Tetramethylrhodamine-5-isothiocyanate (TRITC) Ex = 543 nm; Em = 571 nm
Fluor/Protein Ratio:	1.8 Moles TRITC per Mole Antibody
Purification:	Antibody was affinity purified using solid phase Rat IgG
Purity:	Affinity purified antibody is ≥ 95 % based on SDS-PAGE
Host:	Donkey
Immunogen:	Purified Rat IgG, whole molecule
Buffer:	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2,
	1 % (w/v) BSA, Protease/IgG free
Preservative:	0.05 % (w/v) Sodium Azide
Reconstitution:	Rehydrate with 1.1 ml of deionized water. Allow reconstituted product to stand at room
	temperature for at least 30 minutes prior to dilution. If necessary, centrifuge to remove any particulates. Prepare fresh working dilution daily.
Storage:	Store lyophilized material at 2-8 °C. For storage at -20 °C after reconstitution, dilute with
	an equal volume of glycerol to prevent loss of enzymatic activity. Prepare working
	dilution prior to use and then discard.
Shelf Life:	1 year from date of receipt
Specificity:	Based on IEP, this antibody reacts with:
	• heavy (γ) chains on Rat IgG
	light chains on all Rat immunoglobulins
Cross Reactivity:	Based on IEP, no reactivity is observed to:
	non-immunoglobulin Rat serum proteins
	• serum proteins from Human or Rabbit
	 IgG from Bovine, Chicken, Goat, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, or Sheep
Country of Origin:	Donkey antiserum was obtained from animals of US origin and under the care of a
	registered veterinarian.
Note:	This conjugate was prepared using Part # DkxRt-003-F, Lot # 67-48-040119.
Applications:	The optimal working dilution should be determined by the investigator.
	Suitable for use in: FLISA, FACS, IF, WB
	Suggested starting dilution(s):
	• 1:20 – 1:2,000 for most applications
Disclaimer:	For in vitro Laboratory Use Only. Not for diagnostic or therapeutic use. Not for human
21001011	or animal consumption. The proper selection and use of our products is the sole
	responsibility of the end user, and therefore we can offer no guarantee to a specific
	experimental outcome. Suggested applications of our products are not recommendations
	to use our products in violation of any patent or as a license under any patent of
	ImmunoReagents, Inc.
	Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.

*ImmunoReagents,Inc.

6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

Testing Results

PRODUCT: PART NUMBER: LOT NUMBER:	Donkey anti-Rat IgG (H&L), TRITC Conjugate DkxRt-003-FRHOX 69-107-120619	
<u>TESTS</u>	SPECIFICATIONS	RESULTS
Appearance:	Pink fluorescent powder	PASS
Purity:	Two predominant bands at 50 and 24 kDa based on SDS-PAGE	PASS
Specificity:	Based on IEP, this antibody has precipitin bands with:	D + 66
	 heavy (γ) chains on Rat IgG light chains on all Rat immunoglobulins 	PASS PASS
Cross Reactivity:	 Based on IEP, no precipitin bands are observed to: non-immunoglobulin Rat serum proteins serum proteins from Human or Rabbit IgG from Bovine, Chicken, Goat, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, or Sheep 	PASS PASS PASS
FLISA:	Mean fluorescent value of 8 μ g/ml of TRITC conjugate when tested against normal Rat IgG coated at 4 μ g/ml	242 MFI's
F.I.T.:	Mean fluorescent intensity of a 1:1000 dilution at Ex-550 nm (+/-9)/Em-570 nm (+/-9)	323 MFI's
SDS-PAGE	Immunoelectrophoresis (I	EP) Inti-Rat IgG (H&L), Affinity Pure

