

6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

Certificate of Analysis

Product:	Goat anti-Human IgG Fc, Biotin Conjugate
Part Number: Lot Number: Amount: Purification: Purity: Host: Immunogen: Buffer: Preservative: Storage: Shelf Life:	GtxHu-004-EBIO 65-191-081919 2.0 mg of antibody at 1.50 mg/ml (E ^{1%} at 280 nm = 13.0) Antibody was purified using solid phase Human IgG Affinity purified antibody is \geq 95 % based on SDS-PAGE Goat Purified Human IgG Fc 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free 0.05 % (w/v) Sodium Azide Store undiluted liquid at 2 - 8 °C. Prepare working dilution prior to use and then discard. 1 year from date of receipt
Specificity:	 Based on IEP, this antibody reacts with: heavy (γ) chains on Human IgG
Cross Reactivity:	 Based on IEP, no reactivity is observed to: light chains on Human immunoglobulins non-immunoglobulin Human serum proteins Human IgG F(ab)'2 fragment serum proteins from Bovine, Horse, Mouse, or Rabbit
Country of Origin:	Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.
Note:	This conjugate was prepared using Part # GtxHu-004-E, Lot # 69-43-070519.
Applications:	 This conjugate is suitable for use in: ELISA, WB, IHC, FACS. The optimal working dilution should be determined by the investigator. Suggested starting dilution(s): 1:20,000 – 1:500,000 for ELISA/Western blot 1:500 – 1:5,000 for Immunohistochemistry
Disclaimer:	For in vitro Laboratory Use Only. Not for diagnostic or therapeutic use. Not for human or animal consumption. The proper selection and use of our products is the sole responsibility of the end user, and therefore we can offer no guarantee to a specific experimental outcome. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc.
	Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.

*ImmunoReagents,Inc.

6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

Testing Results

PRODUCT: PART NUMBER: LOT NUMBER:	Goat anti-Human IgG Fc, Biotin Conjugate GtxHu-004-EBIO 65-191-081919		
<u>TESTS</u>	SPECIFICATIONS	RESULTS	
Appearance:	Clear, colorless liquid	PASS	
Purity:	Two predominant bands at 50 and 24 kDa based on SDS-PAGE	PASS	
Specificity:	 Based on IEP, this antibody has precipitin bands with: heavy (γ) chains on Human IgG 	PASS	
Cross Reactivity:	 Based on IEP, this antibody does not have precipitin bands to: light chains on all Human immunoglobulins non-immunoglobulin Human serum proteins Human IgG F(ab)'2 fragment serum proteins from Bovine, Horse, Mouse, or Rabbit 	PASS PASS PASS PASS	
ELISA:	Dilution giving A^{405} reading of ≥ 1.0 when tested against Human IgG Fc coated at 2 µg/ml	1: 1,550,000	
SDS-PAGE	Immunoelectrophoresis I IEP for Goat anti-Human IgG Fc, Affinity Pure Part # GtxHu-004-E Lot # 69-43-0	9	
1 2	Normal Human S		
55	SkDa Purified Huma	n IgG	
31kDa		(ab)'2	
21	kDa Normal Bovine	Serum	
	Normal Horse	Serum	
	Normal Mouse	Serum	
	C Normal Rabbit		
 GtxHu-004-E, Lot # 69-43-070519 Mol Weight Standard 			
Date: August 22, 20		\geq	
	Quality Control		

K ImmunoReagents, Inc. 6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

