6003 Chapel Hill Road · Suite # 153 · Raleigh, NC 27607

Certificate of Analysis

Product: Goat anti-Mouse IgG (H&L), TRITC Conjugate

Part Number: GtxMu-003-ERHOX Lot Number: 68-106-071519

Amount: 1 mg of antibody at 1.00 mg/ml (E $^{1\%}$ at 280 nm = 13.0)

Form: Lyophilized

Fluorophore: Tetramethylrhodamine-5-isothiocyanate (TRITC)

Ex = 550 nm; Em = 570 nm

Fluor/Protein Ratio: 1.4 Moles TRITC per Mole Antibody

Purification: Antibody was affinity purified using solid phase Mouse IgG Purity: Affinity purified antibody is $\geq 95\%$ based on SDS-PAGE

Host: Goat

Immunogen: Purified Mouse IgG, whole molecule

Buffer: 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2,

1 % (w/v) BSA, Protease/IgG free

Preservative: 0.05 % (w/v) Sodium Azide

Reconstitution: Rehydrate with 1.1 ml of deionized water. Allow solution to stand at room

temperature for at least 30 minutes to dissolve. Centrifuge to remove any remaining

particulates. Prepare fresh working dilution daily.

Storage: Store freeze dried powder at 2-8°C.

Shelf Life: Product is stable for up to 4 weeks at 2-8°C after rehydration. For extended storage after

rehydration, add an equal volume of glycerol and store at -20°C.

Specificity: Based on IEP, this antibody reacts with:

heavy (γ) chains on mouse IgG

• light chains on all mouse immunoglobulins

Cross Reactivity: Based on IEP, no reactivity is observed to:

• non-immunoglobulin mouse serum proteins

• human IgG or serum proteins

Country of Origin: Goat antiserum was obtained from animals of US origin and under the care of a

registered veterinarian.

Note: This product was prepared using Part # GtxMu-003-E, Lot# 60-36-042518.

Applications: This conjugate is suitable for immuno-microscopy and flow cytometry. The

optimal working dilution should be determined by the investigator. Suggested

starting dilution(s):

• 1:20-1:2,000 for most applications

Disclaimer: For in vitro Laboratory Use Only. Not for diagnostic or therapeutic use. Not for

human or animal consumption. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license

under any patent of ImmunoReagents, Inc.

Product may not be resold or modified for resale without prior written

approval of ImmunoReagents, Inc.

Phone: 919-831-2240 · www.ImmunoReagents.com · Fax: 919-831-2240

6003 Chapel Hill Road \cdot Suite # 153 \cdot Raleigh, NC 27607

Testing Results

PRODUCT: Goat anti-Mouse IgG (H&L), TRITC Conjugate

PART NUMBER: GtxMu-003-ERHOX **LOT NUMBER:** 68-106-071519

<u>TESTS</u>	<u>SPECIFICATIONS</u>	RESULTS
Appearance:	Pink fluorescent powder	PASS
Purity:	Two predominant bands at 50 and 24 kDa based on SDS PAGE	PASS
Specificity:	Based on IEP, this antibody has precipitin bands with:	
	 heavy (γ) chains on mouse IgG 	PASS
	 light chains on all mouse immunoglobulins 	PASS
Cross Reactivity:	Based on IEP, no precipitin bands are observed to:	
	 non-immunoglobulin mouse serum proteins 	PASS
	• human IgG or serum proteins	PASS
FLISA:	Mean fluorescent value of 8µg/ml of TRITC conjugate when	
I LIS/ 1.	tested against normal mouse IgG coated at 4µg/ml.	72 MFI's
F.I.T.:	Mean fluorescent intensity of a 1:1000 dilution at	332 MFI's

Ex-550 nm (+/-9) / Em-570 nm (+/-9)

SDS PAGE

1 2


55kDa

31kDa

21kDa

Immunoelectrophoresis (IEP)

IEP For Goat anti-Mouse IgG (H+L), Affinity Pure Part # GtxMu-003-E Lot # 60-36-042518



- 1) GtxMu-003-E, Lot # 60-36-042518
- 2) Mol Weight Standard

Date: August 6, 2019 Signature:

Phone: 919-831-2240 · www.ImmunoReagents.com · Fax: 919-831-2240

Quality Control



Phone: 919-831-2240 www.ImmunoReagents.com Fax: 919-831-2240